TECHNICAL OFFER^(Note3)

N.B. The Key Experts Form (including Self-declaration form for Key Experts and the Statement re Availability), CVs and Literature List are subject to Note 2. Any other components of the technical offer are under Note 3.

Note: Where in this tender document a standard, brand or label is quoted, it is to be understood that the Contracting Authority will accept equivalent standards, brands or labels. However, it will be the responsibility of the respective bidders to prove that the standards, brands or labels they quoted are equivalent to the standards requested by the Contracting Authority.

This form is to be submitted with offer. Bidders are to state the brand and the model of the supplies being offered in response to the specifications requested under Section 3 - Technical Specifications.

Tenderers that fail to complete and fill in the requested information will be deemed as noncompliant and will not be considered further for final adjudication. The information/technical specifications provided in the below table shall not be subject to rectifications.

For each item offered, the respective supporting documents and printed manufacturer's technical literature are to be submitted by the bidder as per the form marked "Literature".

ltem No.	Description of item required	Reference in Section 4 of the tender document - Technical Specifications	Description of the item being offered	The Brand / Model Number / Catalogue Reference of the items being offered are to be inserted next to each item in the space provided below or Declare Yes/ No if in agreement (circle the one in agreement)
	Task 1 – The installation of flooring is to be delivered and installed within eight (8) weeks from the date of the last signature on the contract.			Yes / No
1.0	Task 2 - Within one (1) week from signature of contract, the Contractor will be called in for a meeting with the Contracting Authority, so as to confirm the colours the lines, the program of works and the list of equipment that he intends	1C Section 4		Yes / No

	to procure to be approved by the Contracting Authority as specified in article 1 c , Section 4.			
2	The provision shall include a Prefabricated floor for indoor use consisting of natural and synthetic rubber, calendared and vulcanized, with a total constant thickness of 3 mm (+/- 5%), supplied in rolls of 190 cm (+/- 5%) in width. Contractor is to abide with all technical specifications mentioned in article 2a section 4.	2a Section 4	Colour: Material:	Yes / No
2b	The product shall be certified in compliance with International schemes and standards for Indoor Air Quality programs such as Greenguard Gold (UL Certification Program) and Environmental Product Declaration (EPD).	2b Section 4		Yes / No
2c	The flooring shall have an underlay of 4.5 mm (+/- 5%) as specified in article 2c Section 4.	2c Section 4		Yes / No
2d	The Contractor shall have full responsibilities for all the implementation of the flooring solution as described in article 3 Section 4.	2d Section 4		Yes / No
3	The Contractor shall procure and lay all the flooring layers any additional materials as required to produce the completely functioning systems including the finishing edge around the perimeter of the entire court	3 Section 4		Yes / No

4	The Contractor shall provide all equipment, items, articles, materials, and operations listed, mentioned in this Document, including all tools, labour, supervision and incidentals necessary and required for the completion of the works and the full and satisfactory operation of the flooring systems. Lifters and other access equipment is the responsibility of the Contractor.	6 Section 4	Yes / No
5.	The Contractor shall be fully responsible for the manufacturer's warranty which shall remain valid for Ten (10) years as per article 1e of the terms of reference section 4.	1 e - Section 4	
5	Bidder must confirm that he has read and agrees to the requirements set out in the Special Conditions to the contract	Section 3	Yes / No
6	The Bidder must confirm that s/he can provide any service requested under the Objectives listed in the Terms of Reference, and any such similar service as may be required by the Contracting Authority during the execution of the contract.	Section 4	Yes / No

Literature List (Note 2)

List of literature to be submitted with the offer.

Supporting documents and printed manufacturer's technical literature furnished by the tenderer may be in another language, provided they are accompanied by an accurate translation into English. For the purposes of interpretation of the tender, the English language will prevail.

ALL BIDDERS ARE TO NOTE THAT PHOTOS SUBMITTED AS MANUFACTURER'S TECHNICAL LITERATURE <u>SHALL</u> <u>NOT SUFFICE</u> AND ACCORDINGLY THESE <u>MUST BE DULY ACCOMPANIED BY THE RESPECTIVE DETAILED</u> <u>MANUFACTURER'S TECHNICAL LITERATURE.</u>

The submission shall be in a structured form <u>and is to be in the same sequence as listed hereunder</u> for ease of reference and evaluation.

ltem No.	Description	Reference in Technical Specifications
1.1	Manufacturer's technical literature of the top-most level of the flooring system proposed.	2a
1.2	Manufacturer's technical literature of the bottom-most level of the flooring system proposed (the part in contact with the existing surface), if applicable.	2c
1.3	Manufacturer's technical literature of the intermediate level of the flooring system proposed, if applicable.	2c
1.4	Manufacturer's technical literature of the skirting proposed to be used between the existing floor and proposed flooring, if applicable.	3
1.5	Manufacturer's technical literature of the line markings used on the proposed flooring, if applicable.	9
1.6	Manufacturer's technical literature of the adhesive or any other material/s used for installing any of the above items (if any)	2
	Bidder is to submit all relevant forms specified in Section 1 article 7 A (Eligibility Criteria), B (Exclusion Grounds) and C (Technical Specifications including Technical offer and method statement).	

Sample List (Note 3)

ltem No.	Description	Reference in Technical Specifications
1.1	A sample of the top-most level of the proposed flooring, minimum size of 15cm X 25cm, as it will be laid.	2a
1.2	A sample of the lowest level of the proposed flooring that will be in contact with the existing floor, if any, minimum size of 15cm X 25cm	2c
1.3	A sample of the intermediate level of the proposed flooring that will be between the top-most and lowest level of the proposed flooring, if any, minimum size of 15cm X 25cm.	2c
1.4	A sample of the proposed skirting used between the proposed floor system and the existing floor/walls, minimum size of 25cm in length	3

List of samples to be submitted within 15 working days from when notified to do so.

Declaration confirming the Company is an IHF Accredited Company

Company Name

Name and Surname

Signature